



Paper Specification
TS – 16.07.2019

SORA tea pack

SORA tea pack is a woodfree coated paper for tea envelopes.

Parameter	Standard	60	70	80	Tolerance
Grammage [g/m ²]	ISO 536	60	70	80	± 2
Spec. volume [cm ³ /g]	ISO 534	1.05	1.06	1.07	± 0.04
Smoot. Bendtsen [ml/min]	ISO 8791-2	120	120	120	± 35
Rel. humidity [%]	DIN 53118	47.5	47.5	47.5	± 7.5
D65 brightness [%]	ISO 2470-2 (D65/10°)	97	97	97	± 2
CIE whiteness [%]	ISO 11475 (D65/10°)	124	124	124	
Opacity [%]	ISO 2471	86	89	92	± 2

Given values can be used as guide values only and can be changed without prior notice.
For a valid specification, please refer to the one most recently published on the website www.goricane.si.
Information on the supplies of FSC® and PEFC™ certified products are available in the Sales department.

